

	Description of Item	Unit	KARMA TSHONGKHA NG	P. Dhendup Tshongkhang	BAIJNATH GUPTA & SONS	DRUK GENERAL ENTERPRISE	NORGU Traders	Palden Phuntsok(P.P) Traders
1	1 module 1 way switch,10A ,Roma,Legrand,Kolors,CPL/ Equivelent.	each	149	65	50	50	72	75
2	1 module 1 way switch,20A Roma,Legrand,Kolors,CPL/ Equivelent.	each	180	135	96	117	0	205
3	1 module Dimmer/ E-Regulator Roma,Legrand,Kolors,CPL/ Equivelent.	each	350	0	205	250	0	295
4	112541, BGSLO sleek surface 3W WH RD, LED Bajaj /Havells	Each	650	0	350	0	0	670
5	112542, BGSLO sleek surface 6W WH RD, LED Bajaj /Havells	Each	650	0	450	0	0	680
6	112543, BGSLO sleek surface 12W WH RD, LED Bajaj /Havells	Each	750	0	480	0	0	990
7	112546, BGSLO sleek surface 4W WH RD,LED Bajaj /Havells	Each	600	0	380	0	0	680
8	112547, BGSLO sleek surface 8W WH RD,LED Bajaj /Havells	Each	900	0	480	0	0	710
9	112548, BGSLO sleek surface 15W WH RD, LED Bajaj /Havells	Each	1150	0	650	0	0	1010
10	2 module 1 way switch,10A Roma,Legrand,Kolors,CPL/ Equivelent.	each	150	0	120	111	0	195

11	2 module 2 way switch,10A Roma,Legrand,Kolors,CPL/ Equivelent.	each	250	0	135	125	0	305
12	2 module Dimmer/ E-Regulator Roma,Legrand,Kolors,CPL/ Equivelent.	each	360	0	285	349	0	350
13	2 Module,5/6pin,10A,230V Socket Roma,Legrand,Kolors,CPL/ Equivelent.	each	350	0	100	103	0	235
14	2 Module,5/6pin,20A,230V Socket Roma,Legrand,Kolors,CPL/ Equivelent.	each	350	0	148	181	0	295
15	2-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable (Richa, Havells, Royal cable) 10sq.mm Richa/Hevells/royal	M	160	0	3650	124	0	165
16	2-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable (Richa, Havells, Royal cable) 16sq.mm Richa/Hevells/royal	M	160	0	7200	141	0	195
17	2-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable (Richa, Havells, Royal cable) 6 sq.mm Richa/Hevells/royal	M	150	0	2200	97	0	145
18	25x4mm copper strip	M	0	0	1650	0	0	1220
19	25x4mm G.I strip	M	0	0	180	0	0	235
20	25x6mm G.I strip	M	0	0	200	0	0	275

21	3-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable (Richa, Havells, Royal cable) 6sq.mm Richa/Hevells/royal	M	160	0	148	107	0	600
22	3-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 10sq.mm Richa/Hevells/royal	M	170	0	188	138	0	970
23	3-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 16sq.mm Richa/Hevells/royal	M	170	0	195	148	0	1400
24	3-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 25sq.mm Richa/Hevells/royal	M	230	0	250	190	0	2120
25	3.5 m, 4.5 mm thick MS tubular pole suitable for post top fixture Al. painted	Each	0	0	9500	0	0	9560
26	3.5-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 25sq.mm Richa/Hevells/royal	M	0	0	295	220	0	2450

27	3.5-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 35sq.mm Richa/Hevells/royal	M	0	0	365	278	0	3110
28	3.5-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 50sq.mm Richa/Hevells/royal	M	0	0	426	376	0	4210
29	3.5-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 70sq.mm Richa/Hevells/royal	M	0	0	570	507	0	695
30	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable (Richa, Havells, Royal cable) 6sq.mm Richa/Hevells/royal	M	230	0	177	128	0	220
31	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 10sq.mm Richa/Hevells/royal	M	260	0	214	175	0	209
32	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 150sq.mm Richa/Hevells/royal	M	0	0	1362	1076	0	1390

33	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 16sq.mm Richa/Hevells/royal	M	320	0	255	187	0	1775
34	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 25sq.mm Richa/Hevells/royal	M	450	0	315	236	0	2210
35	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 35sq.mm Richa/Hevells/royal	M	600	0	415	317	0	380
36	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 50sq.mm Richa/Hevells/royal	M	0	0	535	423	0	475
37	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 70sq.mm Richa/Hevells/royal	M	0	0	730	574	0	595
38	5/6 Pin Switch Socket combined Socket with box,without indicator,16Amp	Each	180	190	145	148	0	225

39	5/6 Pin Switch Socket combined socket with indicator and fuse, without box 16Amp	Each	260	240	185	168	0	295
40	5/6 Pin Switch Socket combined socket with indicator and fuse, 16AMP and box	Each	260	240	185	190	0	430
41	5/6 Pin Switch Socket combined Socket without box and indicator, 16Amp	Each	180	190	145	190	0	305
42	7.5 M high, MS tubular pole with pole cap & detachable baseplate 250x250x40mm, cable entry hole of 16mm dia. At 1.1m from base. Double coat Al. paint	Each	0	0	18000	14900	0	15380
43	7.5 M high, Octagonal street light pole with pole cap & bracket fixed at 115 degree, detachable baseplate 250x250x40mm, cable entry hole of 16mm dia. At 1.1m from base. Double coat Al. paint	Each	0	0	19500	18900	0	16785
44	Allen Key Screw driver	Each	150	0	250	1105	0	1065
45	Allen key set	Each	350	0	200	210	0	655
46	Allen key socket type	Each	6800	0	3500	0	0	865
47	Aluminium A type ladder, 2 mtr high	Each	7500	9800	6500	0	0	7990
48	Aluminium Ladder, 7 mtr long	Each	31000	18900	7500	0	0	28975
49	Aluminium Alloy Ferrul 16mm	Each	30	0	15	0	0	65
50	Aluminium Alloy Ferrul 25mm	Each	30	0	15	0	0	95
51	Aluminium Alloy Ferrul 50mm	Each	30	0	25	0	0	115
52	Aluminium Alloy Thimbles 16mm	Each	30	0	15	5	0	55
53	Aluminium Alloy Thimbles 25mm	Each	30	0	15	6.5	0	55
54	Aluminium Alloy Thimbles 50mm	Each	30	0	25	11.5	0	90

55	Aluminium wire/ power cables Twin core (2- core), 10 sq.mm BTC overhead cable	Roll	70	0	3500	0	0	19500
56	Aluminium wire/ power cables Twin core (2- core), 16 sq.mm BTC overhead cable	Roll	90	0	6800	0	0	20550
57	Aluminium wire/ power cables Twin core (2- core), 6 sq.mm BTC overhead cable	Roll	65	0	2200	0	0	13990
58	Angle Holder (Havells)	Each	30	42	35	29	35	105
59	Batten Holder	Each	30	42	35	29	35	75
60	BOSCH heavy duty drilling machine (max. 10inches depth) Concrete driller	Each	16500	12900	7200	0	0	13820
61	Bus-Bar Chamber (Copper 2- Strip), 300mm copper bar Brand Hensel/ Geco (100 Amps)	Set	5999	0	4350	0	0	4035
62	Bus-Bar Chamber (Copper 2- Strip), 300mm copper bar Brand Hensel/ Geco (63 Amps)	Set	4500	0	2650	3437	0	3775
63	Bus-Bar Chamber (Copper 4- Strip), 300mm copper bar Brand Hensel/ Geco (63 Amps)	Set	7000	0	2650	5069	0	5680
64	Bus-Bar Chamber (Copper 4- Strip), 300mm copper bar. Brand Hensel/ Geco (100 Amps)	Set	7500	0	4350	5740	0	6770
65	Bus-Bar Chamber (Copper 4- Strip), 300mm copper bar. Brand Hensel/ Geco (200 Amps)	Each	8500	0	8850	7488	0	8670
66	Buzzer call bell Bajaj/Anchor	Each	350	870	170	0	0	195
67	Ceiling rose	each	30	35	18	20	23	55

68	Celing fan (crompton/Orient/ Berlia & equivalent) 48 inches	Set	2500	2200	1450	1417	0	1680
69	Celing fan (crompton/Orient/ Berlia & equivalent) 56 inches	Set	2600	1900	1320	2132	0	2250
70	Charcoal for Earthing	Kg	0	0	1450	0	0	450
71	Choke 40 Watt	Each	0	0	150	147	0	750
72	Codeless mic battery, heavy duty	Each	0	190	1250	0	0	1330
73	Combination Plier, 6 inches Taparia	Each	250	350	220	229	0	450
74	Common Salt	Kg	15	40	35	0	0	125
75	Contactora Switch 2 pole, 100A Brand (Legrand/Geco/ Havells) equivalent	Each	14500	0	4500	0	0	7060
76	Contactora Switch 2 pole, 63A Brand (Legrand/Geco/ Havells) equivalent	Each	9000	0	4500	0	0	6770
77	Contactora Switch 4 pole, 100A Brand (Legrand/Geco/ Havells) equivalent	Each	25000	0	4500	0	0	9890
78	Contactora Switch 4 pole, 63A Brand (Legrand/Geco/ Havells) equivalent	Each	10500	0	4500	0	0	7990
79	Copper Cable 4-core un- armoured 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -16 sq.mm Richa/Hevells/royal	M	0	0	1130	1720	0	305
80	Copper Cable 4-core un- armoured 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -25 sq.mm Richa/Hevells/royal	M	0	0	1760	2807	0	435

81	Copper Cable 4-core un- armoured 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) 6 sq.mm Richa/Hevells/royal	M	0	0	450	689	0	190
82	Copper Cable 4-core un- armoured 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor)10 sq.mm Richa/Hevells/royal	M	0	0	730	1115	0	245
83	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) - 2.5 sq.mm Richa/Hevells/royal	Roll	0	3500	2720	3814	0	3330
84	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) - 4sq.mm Richa/Hevells/royal	Roll	0	5600	3715	5582	0	5035
85	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) - 6 sq.mm Richa/Hevells/royal	Roll	0	7800	6745	8324	0	7330
86	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) -0.75 sq.mm Richa/Hevells/royal	Roll	0	1190	935	1200	0	1050
87	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) -1.0sq.mm Richa/Hevells/royal	Roll	0	1690	1220	1638	0	1505

88	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) -1.5 sq.mm Richa/Hevells/royal	Roll	0	2390	1725	2390	0	2085
89	Copper Cable Single core 1.1kV grade PVCInsulated Copper conductor (Multi strand) -10 sq.mm Richa/Hevells/royal	Roll	0	14900	10800	0	0	12550
90	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -1.5 sq.mm Richa/Hevells/royal	M	0	0	38	60	0	131
91	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -10 sq.mm Richa/Hevells/royal	M	0	0	320	736	0	690
92	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -2.5 sq.mm Richa/Hevells/royal	M	0	0	42	95	0	188
93	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -4 sq.mm Richa/Hevells/royal	M	0	0	128	146	0	280

94	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor)-16 sq.mm Richa/Hevells/royal	M	0	0	520	606	0	905
95	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire(Copper conductor) -6 sq.mm	M	0	0	205	220	0	395
96	Copper earthing plate (600x600x6)mm	Each	5500	0	4950	16304	0	12550
97	Copper lighting Arrester 25mm dia. 900mm long, copper tube four prong at top with 85mm dia. 3mm thick	Set	3800	0	2250	1740	0	3660
98	Copper Wire 8 SWG	M	650	0	120	170	0	170
99	Coupler(cassing Capping) 1 inch	Each	10	0	5	41	0	10
100	Digital Multimeter Fluke 17B Digital Multimeter and equivalent	Each	0	8	16000	0	0	15820
101	Double arm bracket suitable for MS Tubular pole	Each	0	0	1950	2700	0	3565
102	Double arm bracket suitable for Octagonal street light pole.	Each	0	0	1650	2700	0	3660
103	DP Contactor compatable for Digital Timer Digital 63A.	Each	0	0	4500	0	0	7880
104	Duracell Battery charger CEF22- AA/AAA/C/D/9V High Speed Duracell	Each	0	780	6500	0	0	1880
105	Duracell Rechargeable Battery AA type 1.5Volts	Each	0	230	1250	0	0	1265
106	Duracell Rechargeable Battery AAA type 1.5Volts	Each	0	230	1250	0	0	1250
107	Elbow (Cassing Capping) 1 inch	Each	10	8	5	2	0	9

108	Electronic Timer Switch,sensitivity 30mA,7days/24hrs,Legrand Digital	Each	16000	0	6380	3318	0	5875
109	External bend 1 inch (cassing & Capping)	Each	10	9	5	2	0	9
110	External bend 1/2 inches (cassing & Capping)	Each	10	7	5	0	0	9
111	External bend 3/4 inches (cassing & Capping)	Each	10	8	5	1.7	0	9
112	Fan Capacitor 3.15mfp/1.5mfp/1.25mfp,230V	each	70	190	50	0	0	120
113	Fan Hook	Each	70	0	150	182	0	560
114	Fan Regulator (Dimmer), Anchor	Each	260	0	180	0	0	265
115	Felxible LED strip- 5W/mtr, 5 mtr roll driver included Bajaj /Havells	each	0	850	750	0	0	1020
116	Flexible wire(Heavy duty) (Wipro/Haloxin) Anchor	M	1200	0	880	1378	0	35
117	Flush typed single pole switch (Havells/anchor) 6Amp	Each	0	0	15	16	0	75
118	Four arm bracket suitable for MS Tubular pole	Each	0	0	3850	0	0	5670
119	G.I Wire 8 SWG	M	120	0	15	11	0	95
120	GI earthing plate (600x600x6)mm	Each	1250	0	1200	1975	0	6550
121	GI spike earthing rod (1200mm long)	Each	0	0	880	0	0	2890
122	GI spike earthing rod (1800mm long)	Each	0	0	1100	558	0	3765
123	Hexsaw blade double side	Each	20	25	15	12	0	55
124	Hexsaw frame	Each	450	340	160	189	0	415
125	Incandencent lamp (Ordinary) Bulb 100watt	Each	15	0	15	15	0	220
126	Internal bend 1 inch (cassing & Capping)	Each	10	9	5	2	0	9

127	Internal bend 1/2 inches (cassing & Capping)	Each	10	7	5	0	0	9
128	Internal bend 3/4 inches (cassing & Capping)	Each	10	8	5	1.7	0	9
129	LED Floodlight (code 112716, BJFL 30W LED) Bajaj /Havells/Syska equivalent	Each	3500	0	1600	1166	950	2230
130	LED Floodlight (code 112726, BJFL 50W LED) Bajaj /Havells/Syska equivalent	Each	3500	0	1750	1316	950	3550
131	LED Floodlight (code 169936, BJFL 100W LED) Bajaj /Havells/Syska equivalent	Each	0	0	2850	2394	1800	6550
132	LED Lamps 12 watt, phillips,Syska & equivalent	Each	280	130	100	101	145	190
133	LED Lamps 23 watt, phillips,Syska & equivalent	Each	450	350	250	305	225	305
134	LED Lamps 40 watt, phillips,Syska & equivalent	Each	650	580	450	500	480	750
135	LED Lamps 5 watt phillips,Syska & equivalent	Each	180	0	55	69	90	90
136	LED Lamps 60 watt, phillips,Syska & equivalent	Each	0	1100	860	0	0	1445
137	LED Lamps 7 watt, phillips,Syska & equivalent	Each	180	85	55	55	90	125
138	LED Lamps 9 watt, phillips,Syska & equivalent	Each	180	110	65	62	110	145

139	LED post top compound light fixture Bajaj Arian LED Post Top Lamp BGCT W4 LED WW,Alumunium Bajaj Arian 45W LED post top Lamp, 230V, 45W.	Each	4800	0	6750	0	0	6750
140	LED Tube light fixture (LUMILINEBS 18/20W LED830SPCWH), 18/20 Watt,Lumiline.Bajaj /Havells	each	400	0	210	140	250	5535
141	Leica DISTO D2 New 100m/330ft Metric Imperial Laser Distance Measure with Bluetooth 4.0 - Black/Red/Equivalent	each	0	0	30000	0	0	24465
142	Long Nose plier, 6inches Taparia	Each	250	250	240	228	0	355
143	Marshaling/Junction box(150X100X250)mm with 14SWG, removal cover plate with gasket for dust and water proof, 2 earthing terminals with nust,bolts and spring washer,2 entry holes 16mm dia. at bottom, 32mm dia for cable entrance.	Each	1500	0	950	1610	0	8770
144	MCCB (4-pole) with (Legrand/ Geco/ Havells) 4-pole, MCCB, 125 Amps, 35KA its enclosure Brand	Each	0	4200	6190	18363	0	20770
145	MCCB (4-p (Legrand/ Geco/Havells) 4- pole, MCCB, 250 Amps,35KAole) with its enclosure Brand	Each	0	11000	18500	29532	0	32765
146	MCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4-pole, MCCB, 100 Amps, 35KA	Each	21500	3900	5550	16408	0	15660

147	MCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4-pole, MCCB, 63 Amps, 25/35KA	Each	9900	3200	5350	0	0	12550
148	Megger WACO ANALOGUE METAL BODY INSULATION TESTERWACO HAND DRIVEN GENERATOR TYPE INSULATION TESTER (Response Time: 3 seconds;High Voltage Test : Withstands minimum 2000 Volts or (Rated voltage + 1000) Volts A.C. (rms) between the electrical circuit & the handle for one minute;Insulation Resistance Test: Better than 50 Megohms at 5000 V D.C. between the electrical circuit & the containing case)	Each	0	0	450000	0	0	16770
149	Miniature Circuit Breaker 230V A.C (MCB) Double Pole with its enclosure Brand (Legrand/ Geco/ Havells) DP, MCB, 16 Amps.	Each	850	0	420	1077	0	990
150	Miniature Circuit Breaker 230V A.C (MCB) Double Pole with its enclosure Brand (Legrand/ Geco/ Havells) DP, MCB, 20 Amps.	Each	850	590	420	1077	0	990
151	Miniature Circuit Breaker 230V A.C (MCB) Double Pole with its enclosure Brand (Legrand/ Geco/ Havells) DP, MCB, 32 Amps.	Each	850	630	420	1077	0	990

152	Miniature Circuit Breaker 230V A.C (MCB) Double Pole with its enclosure Brand (Legrand/ Geco/ Havells) DP, MCB, 40 Amps.	Each	950	890	680	1499	0	1590
153	Miniature Circuit Breaker 230V A.C (MCB) Double Pole with its enclosure Brand (Legrand/ Geco/ Havells) DP, MCB, 63 Amps.	Each	1100	940	700	1517	0	1670
154	Miniature Circuit Breaker 230V A.C (MCB) Single Pole with its enclosure. Brand (Legrand/Geco/ Havells) SP, MCB, 6 Amps.	Each	240	120	135	520	0	205
155	Miniature Circuit Breaker 230V A.C (MCB) Single Pole with its enclosure. Brand (Legrand/Geco/ Havells)SP, MCB, 10 Amps.	Each	240	120	135	520	0	205
156	Miniature Circuit Breaker 230V A.C (MCB) Single Pole with its enclosure. Brand (Legrand/ Geco/ Havells) SP, MCB, 16 Amps.	Each	240	120	135	520	0	205

157	Minipiller box (readymade welded) medium size (600x450x 1000mm) with 1200mm length Angle iron fabricated stand/leg with inbuild 4 strip, 450mm Al. bus-bar having terminal hole of 10mm Dia. At 20mm interval, suitable to accomodate in the 250 Amps, 4- pole MCCB, Anolog timer and contractor etc as required (Consult Electrical section for clarification). 3-phase, max 1000 volt	Each	0	0	35000	0	0	45770
158	MS module Box, 1 module Roma,Legrand,Kolors,CPL/ Equivelent.	each	0	60	48	47	0	110
159	MS module Box, 12 module (Square) Roma,Legrand,Kolors,CPL/ Equivelent.	each	0	200	190	155	0	410
160	MS module Box, 16 module (Square) Roma,Legrand,Kolors,CPL/ Equivelent	each	0	250	220	176	0	495
161	MS module Box, 2 module Roma,Legrand,Kolors,CPL/ Equivelent.	each	0	60	48	47	0	110
162	MS module Box, 3 module Roma,Legrand,Kolors,CPL/ Equivelent.	each	0	90	70	66	0	110
163	MS module Box, 4 module Roma,Legrand,Kolors,CPL/ Equivelent.	each	0	100	90	79	0	150

164	MS module Box, 6 module Roma,Legrand,Kolors,CPL/ Equivelent.	each	0	130	120	97	0	235
165	MS module Box, 8 module (Square/ Linear) Roma,Legrand,Kolors,CPL/ Equivelent.	each	0	170	155	125	0	290
166	MS Saddle 1"X1.5 mm, steel	each	5	0	5	4.2	0	35
167	MS Saddle 1/2"X1.5 mm, steel	each	5	0	5	2.8	0	35
168	MS Saddle 3/4"X1.5 mm, steel	each	5	0	5	2.8	0	35
169	MS, pole clamp with nut and bolt	Each	0	0	450	0	0	1660
170	MS, Terminal/ Junction/ box suitable to fix on the street light poles with pole clamp Prefabricated	Each	0	0	750	0	0	3880
171	Multi Plug 16 AMP	Each	140	145	110	0	150	175
172	Multi Plug 6 AMP	Each	80	85	60	0	74	120
173	Musical calling bell Bajaj/Anchor	Each	450	0	150	0	0	205
174	Neon Tester Taparia made	Each	60	0	50	52	0	335
175	Pannel pin	Pkt	60	180	60	62	0	365
176	Pencil Battery (Everyday) AA type1.5 Volts	Each	30	14.9	25	0	0	65
177	Pendent Holder	Each	0	35	28	0	0	120
178	Phase Sequence Testers export quality	Each	0	0	15000	0	0	72450
179	Plug top, 3 pin 16 AMP	Each	100	98	110	0	82	90
180	Plug top, 3 pin 6 AMP	Each	60	25	60	0	63	90
181	PVC 1 module cover Plate, Roma,Legrand,Kolors,CPL/ Equivelent.	each	60	120	68	81	0	110
182	PVC 12 module cover Plate (Square), Roma,Legrand,Kolors,CPL/ Equivelent.	each	350	359	218	264	0	405

183	PVC 16 module cover Plate (Square), Roma,Legrand,Kolors,CPL/ Equivelent.	each	450	410	245	295	0	465
184	PVC 2 module cover Plate, Roma,Legrand,Kolors,CPL/ Equivelent	each	60	120	68	81	0	110
185	PVC 3 module cover Plate, Roma,Legrand,Kolors,CPL/ Equivelen	each	120	140	95	104	0	150
186	PVC 4 module cover Plate, Roma,Legrand,Kolors,CPL/ Equivelent.	each	160	165	110	121	0	170
187	PVC 6 module cover Plate, Roma,Legrand,Kolors,CPL/ Equivelent.	each	220	210	135	167	0	210
188	PVC 8 module cover Plate (Square/ Linear), Roma,Legrand,Kolors,CPL/ Equivelent.	each	280	298	175	213	0	275
189	PVC bend 1/2 inches	Each	15	0	7	0	0	35
190	PVC bend 3/4 inches	Each	15	0	8	7	0	25
191	PVC Cassing Capping 0.5 inch	each	60	0	40	0	0	55
192	PVC Cassing Capping 0.75 inch	each	60	0	45	0	0	60
193	PVC Cassing Capping 1 inch	each	70	0	55	41	0	65
194	PVC circular box 1 way	Each	20	45	10	22	0	35
195	PVC circular box 2 way	Each	20	90	10	22	0	35
196	PVC circular box 3 way	Each	30	120	10	22	0	35
197	PVC circular box 4 way	Each	30	180	10	22	0	35
198	PVC conduit pipe,1 inches,10ft.	M	60	0	78	0	0	10
199	PVC conduit pipe,1/2 inches,10ft.	M	60	0	43	0	0	9
200	PVC conduit pipe,3/4 inches,10ft.	M	60	0	52	14	0	7
201	PVC dowel, 35mm, 100 pcs	each	70	0	50	45	0	125
202	PVC dowel,35mm, 100 pcs	each	70	0	50	45	0	125

203	PVC insulation tape	Each	20	13	15	11	0	15
204	PVC module Box, 1 module, Roma,Legrand,Kolors,CPL/ Equivelent.	each	40	60	55	45	0	70
205	PVC module Box, 12 module (Square) Roma,Legrand,Kolors,CPL/ Equivelent.	each	280	200	130	140	0	235
206	PVC module Box, 16 module (Square) Roma,Legrand,Kolors,CPL/ Equivelent.	each	320	210	185	150	0	505
207	PVC module Box, 2 module, Roma,Legrand,Kolors,CPL/ Equivelent.	each	70	60	55	45	0	90
208	PVC module Box, 3 module ,Roma,Legrand,Kolors,CPL/ Equivelent.	each	80	80	70	56	0	90
209	PVC module Box, 4 module, Roma,Legrand,Kolors,CPL/ Equivelent.	each	110	85	70	62	0	100
210	PVC module Box, 6 module, Roma,Legrand,Kolors,CPL/ Equivelent.	each	130	110	98	79	0	130
211	PVC module Box, 8 module (Square/ Linear) Roma,Legrand,Kolors,CPL/ Equivelent.	each	160	150	105	111	0	200
212	PVC saddle 3/4 inches	Each	50	0	3	7	0	9
213	PVC saddle 1/2 inches	Each	5	0	3	0	0	9
214	PVC Square boxes	each	30	45	8	10	0	85
215	PVC switch box/ gang box 1 way	Each	20	25	20	13	15	0
216	PVC switch box/ gang box 12 way (Square)	Each	120	0	0	0	0	0

217	PVC switch box/ gang box 2 way	Each	30	30	25	17	17	0
218	PVC switch box/ gang box 3 way	Each	40	45	30	34	20	0
219	PVC switch box/ gang box 4 way	Each	50	45	35	39	25	0
220	PVC switch box/ gang box 6 way	Each	60	95	45	53	33	0
221	PVC switch box/ gang box 8 way (Liner)	Each	80	130	50	70	48	0
222	PVC switch box/ gang box 8 way (Square)	Each	80	130	50	70	0	0
223	RCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4- Pole, RCCB, 125Amps.	Each	16500	0	0	0	0	28170
224	RCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4- Pole, RCCB, 250Amps.	Each	0	0	0	0	0	0
225	RCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4- Pole, RCCB, 100 Amps.	Each	13800	0	6500	8316	0	15650
226	RCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4- Pole, RCCB, 63 Amps.	Each	7000	0	3050	4970	0	7890
227	RCCB (double-pole) with its enclosure Brand (Legrand/ Geco/ Havells)Double Pole, RCCB, 32 Amps.	Each	4800	0	2090	3139	0	4770
228	RCCB (double-pole) with its enclosure Brand (Legrand/ Geco/ Havells)Double Pole, RCCB, 40 Amps.	Each	4800	0	2150	3842	0	4890

229	RCCB (double-pole) with its enclosure Brand (Legrand/ Geco/ Havells)Double Pole, RCCB, 63 Amps.	Each	7000	0	2750	4131	0	5990
230	Screw driver set Taparia	Each	300	290	200	227	0	650
231	Single arm bracket suitable for MS Tubular pole	Each	0	0	1750	0	0	2645
232	Single arm bracket suitable for Octagonal street light pole.	Each	0	0	2350	0	0	2770
233	Single phase AC Motor capacitor 5/6 pin 45MFP, 450VAC,CPCOS	each	0	0	250	0	0	450
234	Single phase AC Motor capacitor 5/6 pin 50MFP, 450VAC, EPCOS	each	0	0	250	0	0	450
235	Single Phase industrial plug and Socket.	Each	0	0	750	3280	0	11650
236	SKYLITE recess mounting LED 2ftx2ft luminiare (code 111981, BCTBLR 36w ZTN NW, neutal white) Bajaj /Havells	each	0	0	3650	0	0	4650
237	SKYLITE Surface mounting LED 2ftx2ft luminiare (code 111653, BCTBLR 36w ZTN NW, neutal white) Bajaj /Havells	each	0	0	3650	0	0	4670
238	SKYLUX Surface mounting LED 1ftx1ft luminiare (code 111913, BZSSOL 18w WH, neutal white) Bajaj /Havells	each	0	0	3180	0	0	3365
239	SLEEK RD- Surface mounted round downlight Bajaj /Havells	each	0	0	450	0	0	1010
240	SLEEK SQ- Surface mounted square downlight Bajaj /Havells	Each	0	0	450	0	0	1220

241	Solar standalone (all in one) streetlight system consist of solar LED luminaire, solar panel, solar low maintenance flooded battery (Falcon solar luminaire 60 watt. Bajaj /Havells	Each	0	0	51800	0	0	10500
242	Soldering Iron 25Watt	Each	1200	0	750	0	0	650
243	Soldering lead	Each	800	0	250	0	0	440
244	SPN Distribution board single door, 12 ways	Each	850	0	630	1055	0	1010
245	SPN Distribution board single door, 16 ways	Each	1200	0	750	1229	0	1130
246	SPN Distribution board single door, 2 ways	Each	250	0	130	269	0	205
247	SPN Distribution board single door, 4 ways	Each	350	0	300	576	0	450
248	SPN Distribution board single door, 6 ways	Each	450	0	350	672	0	485
249	SPN Distribution board single door, 8 ways	Each	600	0	455	797	0	890
250	SPN Distribution board, Double door & arcylc metal door, 10 ways	Each	1800	0	850	1392	0	3550
251	SPN Distribution board, Double door & arcylc metal door, 12 ways	Each	2500	0	970	1565	0	4650
252	SPN Distribution board, Double door & arcylc metal door, 16 ways	Each	0	0	1250	1910	0	5060
253	SPN Distribution board, Double door & arcylc metal door, 2 ways	Each	0	0	620	0	0	865
254	SPN Distribution board, Double door & arcylc metal door, 4 ways	Each	1200	0	600	864	0	1350
255	SPN Distribution board, Double door & arcylc metal door, 6 ways	Each	1400	0	660	1046	0	2235

256	SPN Distribution board, Double door & acrylic metal door, 8 ways	Each	1600	0	750	1211	0	3065
257	Square shape, integral decorative LED bollard light with opel acrylic with IP65 protection (Code 111286, BGBOS 405, 9 watt) Bajaj/Havells	Each	0	0	4750	0	0	5450
258	Square shape, integral decorative LED bollard light with opel acrylic with IP65 protection (Code 111287, BGBOS 405, 6 watt) Bajaj/Havells	Each	0	0	4750	0	0	4760
259	Stablizer 1.5 KVA	Each	13500	0	45000	0	0	12550
260	Stablizer 2 KVA	Each	15500	0	65000	0	0	15765
261	Stand fan (cromptom/Orient/ Berlia & equivalent)	Set	3500	0	2650	3360	0	3025
262	Starter 40 Watt	Each	16500	0	10	0	0	75
263	Straight through Cable jointing kit, (Hot shrink jointer) Best Quality 100sqmm	Each	15000	0	3500	1575	0	7500
264	Straight through Cable jointing kit, (Hot shrink jointer) Best Quality 125sqmm	Each	17000	0	4500	1575	0	8500
265	Straight through Cable jointing kit, (Hot shrink jointer) Best Quality 25sqmm	Each	2500	0	1850	903	0	4500
266	Straight through Cable jointing kit, (Hot shrink jointer) Best Quality 25sqmm	Each	3800	0	1950	903	0	5350
267	Straight through Cable jointing kit, (Hot shrink jointer) Best Quality 50sqmm	Each	7200	0	2250	942	0	6550

268	Straight through Cable jointing kit, (Hot skrink jointer) Best Quality 75sqmm	Each	11500	0	2850	1019	0	6770
269	Street light fixture Ref. Cat. No. BRTFG 100W LED WW (Code 169885)with IP66 protection device Bajaj /Havells	Each	9500	0	5780	4164	3450	8750
270	Street light fixture Ref. Cat. No. BRTFG 30W LED (Code 169800)with IP66 protection device Bajaj /Havells	each	5800	0	1850	1260	2390	4500
271	Street light fixture Ref. Cat. No. BRTFG 45W LED (Code 169800)with IP66 protection device Bajaj /Havells	each	6800	0	2580	1890	2390	4650
272	Street light fixture Ref. Cat. No. BRTFG 60W LED (Code 169800)with IP66 protection device Bajaj /Havell	each	8500	0	3460	0	3499	5060
273	Street light fixture Ref. Cat. No. BRTFG 90W LED (Code 169800)with IP66 protection device Bajaj /Havells	each	8800	0	4780	2612	3499	6350
274	Surface Panel Circle 12W	Each	0	0	380	763	520	1010
275	Surface Panel Circle 16W	Each	0	0	460	0	520	1550
276	Surface Panel Circle 6W	Each	0	0	260	543	0	790
277	Surface Panel Circle 8W	Each	0	0	350	0	0	795
278	Surface Panel Round 12W	Each	0	0	380	763	520	1010
279	Surface Panel Round 16W	Each	0	0	460	0	520	1550
280	Surface Panel Round 6W	Each	0	0	280	563	0	790
281	Surface Panel Round 8W	Each	0	0	350	0	0	795
282	Table fan (cromptom/Orient/ Berlia & equivalent)	Set	2600	0	2200	2555	0	2110
283	Tee (Cassing capping) 1 inch	Each	10	9	5	2	0	9

284	Tempper pin	Pkt	50	150	35	22	0	765
285	Three Phase industrial plug and Socket.	Each	0	0	850	9203	0	26770
286	TPN Contactor compatable for Digital Timer Digital 63-100A.	Each	0	0	4500	0	0	10550
287	TPN Distribution board single door, 12 ways	Each	0	0	2300	5407	0	0
288	TPN Distribution board single door, 16 ways	Each	0	0	2600	0	0	0
289	TPN Distribution board single door, 4ways	Each	1750	0	1230	2971	0	0
290	TPN Distribution board single door, 6 ways	Each	1950	0	1440	3613	0	0
291	TPN Distribution board single door, 8 ways	Each	2150	0	1650	4159	0	0
292	TPN Distribution board, Double door & arcylic metal door, 12 ways	Each	2800	0	1450	9295	0	0
293	TPN Distribution board, Double door & arcylic metal door, 16 ways	Each	4500	0	1600	0	0	0
294	TPN Distribution board, Double door & arcylic metal door, 4 ways	Each	1750	0	1630	3929	0	0
295	TPN Distribution board, Double door & arcylic metal door, 6 ways	Each	0	0	1960	4891	0	0
296	TPN Distribution board, Double door & arcylic metal door, 8 ways	Each	0	0	2250	6294	0	0
297	Triple arm bracket suitable for MS Tubular pole	Each	0	0	3250	0	0	0

298	Triple Pole with Neutral Miniature Circuit Breaker 230V A.C (TPNMCB) with its enclosure Brand (Legrand/ Geco/ Havells) TPN, MCB, 100 Amps.	Each	0	0	5050	10621	0	16550
299	Triple Pole with Neutral Miniature Circuit Breaker 230V A.C (TPNMCB) with its enclosure Brand (Legrand/ Geco/ Havells) TPN, MCB, 125Amps.	Each	0	0	5950	11190	0	18550
300	Triple Pole with Neutral Miniature Circuit Breaker 230V A.C (TPNMCB) with its enclosure Brand (Legrand/ Geco/ Havells) TPN, MCB, 250 Amps.	Each	0	0	13950	0	0	32765
301	Triple Pole with Neutral Miniature Circuit Breaker 230V A.C (TPNMCB) with its enclosure Brand (Legrand/ Geco/ Havells) TPN, MCB, 40 Amps.	Each	0	0	4480	3465	0	4550
302	Triple Pole with Neutral Miniature Circuit Breaker 230V A.C (TPNMCB) with its enclosure Brand (Legrand/ Geco/ Havells) TPN, MCB, 63 Amps.	Each	0	0	4480	3445	0	5065
303	Tube light complete fittings 1xTL-40Wwithout lamp 4ft.long. Single	Set	350	0	1250	0	0	310
304	Tube rod 18W 2ft. long	Eeach	50	0	55	55	0	190
305	Tube rod 40W 4ft. long	Each	50	0	55	55	0	190
306	Underground cable route marker(Standard size) 250mm long.	each	0	0	0	0	0	1890
307	Wall Fan (cromptom/Orient/ Berlia & equivalent)	Set	2800	0	2200	2612	0	2780
308	Wire nail 1inch/ 2 inch	kg	90	0	95	94	0	90

309	Wooden Screw (Best Quality) (10mm to 35mm)	Pkt	70	0	60	70	0	195
310	Wrench with complete Nine Piece set export quality	Each	0	0	1250	1169	0	8550
311	Exhaust Fan	No	0	1400	1000	1845	0	2265

	Bidder Information	Mail Address	Phone #	Station
1	Karma Tshonglkhang	starshopsj@gmail.com	17729702	Sjongkhar
2	Pdhendup Tshongkhang	dhenduptshongkhang@gmail.com	17484395	Sjongkhar
3	Baijnath Gupta & Sons	baijnathgupta07@gmail.com	17110618	Sjongkhar
4	Druk General Enterprise	drukge467@gmail.com	17644289	Pling
5	Norgu Traders	norgutraders@gmail.com	17114500	Thimphu
6	Palden Phuntshok Traders	pptraders85@gmail.com	17446098	Thimphu